



Safety Data Sheet
acc. to 29 CFR 1910.1200 App D
Wheel & Tire Cleaner

Version number: 3.0
Replaces version of: 2025-04-14 (2)

Revision: 2025-04-14

SECTION 1: Identification

- 1.1

Product identifier

Trade name

Wheel & Tire Cleaner
- 1.2

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Tire and wheel cleaner
Professional use
Industrial use

HS code

3402.41.90.
- 1.3

Details of the supplier of the safety data sheet

Amsoil Inc.
925 Tower Ave.
Superior, WI. 54880
715-392-7101

www.amsoil.com
info@amsoil.com
- 1.4

Emergency telephone number

Emergency information service

USA 1.800.535.5053, INTL 1.352.323.3500
24 hr emergency information

SECTION 2: Hazard(s) identification

- 2.1

Classification of the substance or mixture

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)
This mixture does not meet the criteria for classification.
- 2.2

Label elements

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)
not required
- 2.3

Other hazards

Results of PBT and vPvB assessment
Does not contain a PBT-/vPvB-substance at a concentration of $\geq 0.1\%$.
Endocrine disrupting properties
Does not contain an endocrine disruptor (ED) in a concentration of $\geq 0.1\%$.

SECTION 3: Composition/information on ingredients

- 3.1

Substances

Not relevant (mixture)
- 3.2

Mixtures

Description of the mixture

Hazardous ingredients acc. to GHS				
Name of substance	Identifier	Wt%	Classification acc. to GHS	Notes
tetrasodium glutamate di-acetate	CAS No 51981-21-6	5 - < 10	Acute Tox. 4 / H332	



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Wheel & Tire Cleaner

Version number: 3.0
Replaces version of: 2025-04-14 (2)

Revision: 2025-04-14

Hazardous ingredients acc. to GHS				
Name of substance	Identifier	Wt%	Classification acc. to GHS	Notes
3-methoxy-3-methylbutan-1-ol	CAS No 56539-66-3	1 – < 4	Eye Irrit. 2B / H320 Flam. Liq. 4 / H227	
citric acid	CAS No 77-92-9	1 – < 3	Eye Irrit. 2 / H319	

Remarks

For full text of abbreviations: see SECTION 16. Exact percentage of ingredients is withheld as a trade secret.
This table, if present, includes all GHS classified ingredients present above their cut-off limits, even if the finished product is not classified as hazardous by GHS.

SECTION 4: First-aid measures

4.1 Description of first-aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray, Alcohol resistant foam, BC-powder, Carbon dioxide (CO2)

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO2)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

6.2 Environmental precautions

not required





Safety Data Sheet
acc. to 29 CFR 1910.1200 App D
Wheel & Tire Cleaner

Version number: 3.0
Replaces version of: 2025-04-14 (2)

Revision: 2025-04-14

6.3 Methods and material for containment and cleaning up

- Advice on how to contain a spill
Covering of drains
- Advice on how to clean up a spill
Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder
- Appropriate containment techniques
Use of adsorbent materials.
- Other information relating to spills and releases
Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

- Recommendations
- Measures to prevent fire as well as aerosol and dust generation
Use local and general ventilation. Use only in well-ventilated areas.
- Advice on general occupational hygiene
Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

- Control of the effects
- Protect against external exposure, such as
frost

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)
this information is not available

Relevant DNELs of components						
Name of sub-stance	CAS No	End-point	Threshol d level	Protection goal, route of exposure	Used in	Exposure time
tetrasodium glutamate diacetate	51981-21-6	DNEL	7.3 mg/m³	human, inhalat-ory	worker (industry)	chronic - systemic effects
tetrasodium glutamate diacetate	51981-21-6	DNEL	15,000 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
3-methoxy-3-methylbutan-1-ol	56539-66-3	DNEL	18 mg/m³	human, inhalat-ory	worker (industry)	chronic - systemic effects
3-methoxy-3-methylbutan-1-ol	56539-66-3	DNEL	6.3 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects





Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Wheel & Tire Cleaner

Version number: 3.0
Replaces version of: 2025-04-14 (2)

Revision: 2025-04-14

Relevant PNECs of components						
Name of sub-stance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
tetrasodium glutamate diacetate	51981-21-6	PNEC	67 mg/kg	(top) predators	water	short-term (single instance)
tetrasodium glutamate diacetate	51981-21-6	PNEC	9.5 mg/l	aquatic organisms	freshwater	short-term (single instance)
tetrasodium glutamate diacetate	51981-21-6	PNEC	0.95 mg/l	aquatic organisms	marine water	short-term (single instance)
tetrasodium glutamate diacetate	51981-21-6	PNEC	41 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
tetrasodium glutamate diacetate	51981-21-6	PNEC	0.5 mg/kg	terrestrial organisms	soil	short-term (single instance)
citric acid	77-92-9	PNEC	1,000 mg/l	microorganisms	sewage treatment plant (STP)	short-term (single instance)
citric acid	77-92-9	PNEC	35 mg/kg	benthic organisms	sediment	short-term (single instance)
citric acid	77-92-9	PNEC	3.5 mg/kg	pelagic organisms	sediment	short-term (single instance)
citric acid	77-92-9	PNEC	0.44 mg/l	aquatic organisms	freshwater	short-term (single instance)
citric acid	77-92-9	PNEC	0.044 mg/l	aquatic organisms	marine water	short-term (single instance)
citric acid	77-92-9	PNEC	1,000 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
citric acid	77-92-9	PNEC	35 mg/kg	aquatic organisms	freshwater sedi-ment	short-term (single instance)
citric acid	77-92-9	PNEC	3.5 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
citric acid	77-92-9	PNEC	33 mg/kg	terrestrial organisms	soil	short-term (single instance)

8.2 Exposure controls

Appropriate engineering controls
General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection
Wear eye/face protection.

Skin protection

- Hand protection
Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.
- Other protection measures
Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Environmental exposure controls
Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.





Safety Data Sheet
acc. to 29 CFR 1910.1200 App D
Wheel & Tire Cleaner

Version number: 3.0
Replaces version of: 2025-04-14 (2)

Revision: 2025-04-14

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state	liquid
Color	ruby red
Particle	not relevant (liquid)
Odor	citrus - lemon-lime

Other safety parameters

pH (value)	8 – 9 (25 °C)
Melting point/freezing point	not determined
Initial boiling point and boiling range	100 °C
Flash point	>100 °C at 961 mbar
Evaporation rate	Not determined
Flammability (solid, gas)	not relevant, (fluid)
Vapor pressure	32 hPa at 25 °C
Density	1 – 1 g/cm³ at 25 °C
Vapor density	this information is not available

Solubility(ies)

- Water solubility	miscible in any proportion
--------------------	----------------------------

Partition coefficient

- n-octanol/water (log KOW)	this information is not available
Auto-ignition temperature	395 °C (auto-ignition temperature (liquids and gases))
Viscosity	not determined
Explosive properties	none
Oxidizing properties	none

9.2 Other information

Temperature class (USA, acc. to NEC 500)	T2 (maximum permissible surface temperature on the equipment: 300°C)
--	--

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".



Safety Data Sheet
acc. to 29 CFR 1910.1200 App D
Wheel & Tire Cleaner

Version number: 3.0
Replaces version of: 2025-04-14 (2)

Revision: 2025-04-14

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

Oxidizers

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

This mixture does not meet the criteria for classification.

Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity estimate (ATE) of components			
Name of substance	CAS No	Exposure route	ATE
tetrasodium glutamate diacetate	51981-21-6	oral	>2,000 mg/kg
tetrasodium glutamate diacetate	51981-21-6	dermal	>2,000 mg/kg
tetrasodium glutamate diacetate	51981-21-6	inhalation: dust/mist	>4.2 mg/l/4h
3-methoxy-3-methylbutan-1-ol	56539-66-3	oral	4,400 mg/kg
3-methoxy-3-methylbutan-1-ol	56539-66-3	dermal	>2,000 mg/kg
citric acid	77-92-9	dermal	>2,000 mg/kg

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitization

Shall not be classified as a respiratory or skin sensitizer.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).





Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Wheel & Tire Cleaner

Version number: 3.0
Replaces version of: 2025-04-14 (2)

Revision: 2025-04-14

- Specific target organ toxicity - repeated exposure
 - Shall not be classified as a specific target organ toxicant (repeated exposure).
- Aspiration hazard
 - Shall not be classified as presenting an aspiration hazard.

SECTION 12: Ecological information

- 12.1 Toxicity**
 - Shall not be classified as hazardous to the aquatic environment.
- 12.2 Persistence and degradability**
 - Data are not available.
- 12.3 Bioaccumulative potential**
 - Data are not available.
- 12.4 Mobility in soil**
 - Data are not available.
- 12.5 Results of PBT and vPvB assessment**
 - Does not contain a PBT-/vPvB-substance at a concentration of $\geq 0.1\%$.
- 12.6 Endocrine disrupting properties**
 - Does not contain an endocrine disruptor (ED) in a concentration of $\geq 0.1\%$.
- 12.7 Other adverse effects**
 - Data are not available.

SECTION 13: Disposal considerations

- 13.1 Waste treatment methods**
 - Sewage disposal-relevant information
 - Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.
 - Waste treatment of containers/packages
 - Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.
 - Remarks**
 - Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information

- | | |
|---|---|
| 14.1 UN number | not subject to transport regulations |
| 14.2 UN proper shipping name | not relevant |
| 14.3 Transport hazard class(es) | none |
| 14.4 Packing group | not assigned |
| 14.5 Environmental hazards | non-environmentally hazardous acc. to the dangerous goods regulations |
| 14.6 Special precautions for user <ul style="list-style-type: none">There is no additional information. | |
| 14.7 Transport in bulk according to IMO instruments <ul style="list-style-type: none">The cargo is not intended to be carried in bulk. | |



Safety Data Sheet
acc. to 29 CFR 1910.1200 App D
Wheel & Tire Cleaner

Version number: 3.0
Replaces version of: 2025-04-14 (2)

Revision: 2025-04-14

- Information for each of the UN Model Regulations**
- Transport of dangerous goods by road or rail (49 CFR US DOT)**
Not subject to transport regulations.
- International Maritime Dangerous Goods Code (IMDG)**
Not subject to IMDG.
- International Civil Aviation Organization (ICAO-IATA/DGR)**
Not subject to ICAO-IATA.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

- National regulations (United States)**
- Superfund Amendment and Reauthorization Act (SARA TITLE III)**
- The List of Extremely Hazardous Substances and Their Threshold Planning Quantities (EPCRA Section 302, 304)
none of the ingredients are listed
- Clean Air Act**
none of the ingredients are listed
- Right to Know Hazardous Substance List**
- Cleaning Product Right to Know Act Substance List (CA-RTK)

Name of substance	CAS No	Functionality	Authoritative Lists
water	7732-18-5	solvent	
proprietary nonionic surfactant blend	proprietary		
tetrasodium glutamate diacetate	51981-21-6	chelate / se-questrant	
3-methoxy-3-methylbutan-1-ol	56539-66-3	co-solvent	
Sorbitan monolaurate, ethoxylated	9005-64-5	surfactant	
citric acid	77-92-9	pH adjusting agent	
sodium caprylyl sulfonate	5324-84-5	surfactant	
isopropyl myristate	110-27-0		

California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987

Proposition 65 List of chemicals				
Name acc. to inventory	CAS No	Conc.	Remarks	Type of the toxicity
1,4-dioxane	123-91-1	0.00002 wt%		cancer

- VOC content**
- Regulated Volatile Organic Compounds (VOC-EPA) 2.4 %
- Regulated Volatile Organic Compounds (VOC-Cal ARB) 2.4 %



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Wheel & Tire Cleaner

Version number: 3.0
Replaces version of: 2025-04-14 (2)

Revision: 2025-04-14

Industry or sector specific available guidance(s)

NPCA-HMIS® III

Hazardous Materials Identification System. American Coatings Association.

Category	Rating	Description
Chronic	/	none
Health	0	no significant risk to health
Flammability	1	material that must be preheated before ignition can occur
Physical hazard	0	material that is normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosive
Personal protection	-	

Chronic: chronic hazard
Flammability: flammability hazards
Health: health hazard
Personal protection: personal protective equipment (PPE) for normal use
Physical hazard: reactivity

NFPA® 704

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).

Category	Degree of hazard	Description
Flammability	1	material that must be preheated before ignition can occur
Health	0	material that, under emergency conditions, would offer no hazard beyond that of ordinary combustible material
Instability	0	material that is normally stable, even under fire conditions
Special hazard		

National inventories

Country	Inventory	Status
CA	DSL	not all ingredients are listed
EU	REACH Reg.	not all ingredients are listed
US	TSCA	all ingredients are listed or exempt from listing
AU	AIIC	not all ingredients are listed
CN	IECSC	not all ingredients are listed
EU	ECSI	not all ingredients are listed
JP	CSCL-ENCS	not all ingredients are listed
JP	ISHA-ENCS	not all ingredients are listed
KR	KECI	not all ingredients are listed
MX	INSQ	not all ingredients are listed
NZ	NZIoC	not all ingredients are listed
PH	PICCS	not all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	not all ingredients are listed



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Wheel & Tire Cleaner

Version number: 3.0
Replaces version of: 2025-04-14 (2)

Revision: 2025-04-14

Legend

AIIC	Australian Inventory of Industrial Chemicals
CICR	Chemical Inventory and Control Regulation
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
ISHA-ENCS	Inventory of Existing and New Chemical Substances (ISHA-ENCS)
KECI	Korea Existing Chemicals Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

Additional information

The contained substances are listed in the following national inventories:

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information, including date of preparation or last revision

Indication of changes (revised safety data sheet)

Alignment to regulation: Globally Harmonized System of Classification and Labelling of Chemicals ("Purple book").
Restructuring: section 9, section 14

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
2.1	Supplemental hazard information		yes
2.1		Supplemental hazard information: change in the listing (table)	yes
2.2	Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)	Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200): not required	yes
2.2	- Signal word: not required		yes
2.2	- Pictograms: not required		yes
2.3	Hazards not otherwise classified		yes
2.3		Hazards not otherwise classified: change in the listing (table)	yes
2.3	Other hazards: There is no additional information.	Other hazards	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
49 CFR US DOT	49 CFR U.S. Department of Transportation
Acute Tox.	Acute toxicity
ATE	Acute Toxicity Estimate
Cal ARB	California Air Resources Board



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Wheel & Tire Cleaner

Version number: 3.0
Replaces version of: 2025-04-14 (2)

Revision: 2025-04-14

Abbr.	Descriptions of used abbreviations
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
ED	Endocrine disruptor
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EPA	Environmental Protection Agency. An agency of the federal government of the United States charged with protecting human health and the environment
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
Flam. Liq.	Flammable liquid
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
HS	Harmonized Commodity Description and Coding System (Harmonized System, drawn up by the World Customs Organisation)
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
NLP	No-Longer Polymer
NPCA-HMIS® III	National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third Edition
OSHA	Occupational Safety and Health Administration (United States)
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200.
Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture.
Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H227	Combustible liquid.
H319	Causes serious eye irritation.
H320	Causes eye irritation.
H332	Harmful if inhaled.





Safety Data Sheet
acc. to 29 CFR 1910.1200 App D
Wheel & Tire Cleaner

Version number: 3.0
Replaces version of: 2025-04-14 (2)

Revision: 2025-04-14

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.